

15-08 PK


Resolution No.

A RESOLUTION OF THE BOARD OF SUPERVISORS OF THE TOWNSHIP OF AMITY, BERKS COUNTY, PENNSYLVANIA, APPROVING THE MODIFICATION OF SEWER STANDARDS; DETAIL #31 OF THE AMITY TOWNSHIP WASTEWATER SYSTEM establishing the requirement for cleanouts every 100 feet.


NOW, THEREFORE, IT IS HEREBY RESOLVED on the 21st of January, 2015, that the Board of Supervisors of Amity Township, Berks County, Pennsylvania, approves the modification by ARRO Consulting, Inc. of the Amity Township Standard Detail #31 - Sewer System Lateral Design, setting the distance for cleanouts at every 100 feet, as set forth on Exhibit "A" attached hereto.

DULY ADOPTED AND APPROVED this 21st day of January, 2015.

AMITY TOWNSHIP BOARD OF SUPERVISORS




Kim McGrath, Chairperson



Richard Gokey

Paul Weller



Terry Jones

David Hackett

I certify this is a true and correct copy of a Resolution adopted by the Board of Supervisors of the Township of Amity, Berks County, Pennsylvania on January 21, 2015.





Township Secretary

Exhibit "A"




PVC LATERAL SERVICE CONNECTION AT 2% SLOPE MINIMUM, EXTEND TO PROPERTY LINE

NOTES:

- 1) REPAIRS - LATERAL SIZE TO MATCH EXISTING HOUSE LATERAL.
- 2) NEW CONSTRUCTION - 6" SERVICE LATERALS.
- 3) PROVIDE CLEANOUTS EVERY 100' ON LATERALS.
- 4) CONTRACTOR TO PROVIDE TREATED 2x4 OR MARKING TAPE TO GRADE TO LOCATE END OF LATERALS.

SD031.DWG

<p>AMITY TOWNSHIP 2004 WEAVERTOWN ROAD DOUGLASVILLE, PA 19518</p> <p>STANDARD DETAIL - SEWER SYSTEM</p>	 <small>ARRO Consulting, Inc.</small> <small>400 Washington Street, Suite 602 Reading, Pennsylvania 19601 Tel 610.374.9285</small>
<p>LATERAL DETAIL</p>	<p>DATE: JANUARY 2015</p> <p>DETAIL: 31</p>