Amity Township Fire Marshal's Office 2004 Weavertown Road Douglassville, PA 19518-8971



Phone: 610-689-6000 FAX: 610-689-9870

HOME SAFETY CHECKLIST

Please take the time to print and complete this short Home Safety Checklist. If you circle "NO", this indicates a potential fire risk and should be addressed immediately. If you have any questions, please call Amity Township Fire Marshal at 484-516-7455 or e-mail the Fire Marshal at firemarshal@amitypd.org.

Have you installed a smoke alarm inside every sleeping area **and** outside

Smoke Alarms and Fire Escape Planning:

each separate sleeping area in the immediate vicinity of the bedrooms and on each additional story? This includes the basements but not including crawl spaces and uninhabitable attics" Yes/No Do you test your smoke alarms every month? Do you change your smoke alarm batteries twice a year (when the time Yes/No changes)? Yes/No Does your family have a fire escape plan? Yes/No Is your plan posted and regularly practiced? Yes/No Does your plan indicate clear exits from every room? Yes/No Does your plan have a meeting place, so everyone knows where to go? Do all family members know how and when to dial 9-1-1 for Yes/No emergencies? Do you show your babysitters/quests your home escape routes and Yes/No review 9-1-1 with them? Does your family know the first rule in fire emergencies: to GET OUT Yes/No AND STAY OUT? Does your family know how to crawl to safety in order to reduce smoke Yes/No inhalation?

Amity Township Fire Marshal's Office 2004 Weavertown Road Douglassville, PA 19518-8971



Phone: 610-689-6000 FAX: 610-689-9870

Fire Extinguishers:

Do you have at least two UL or FM approved ABC fire extinguishers in your home?	Yes/No
Do you take them out twice a year, shake them and ensure they are properly charged?	Yes/No
Cooking and Heating Sources:	
Do you make it a rule to never leave cooking unattended?	Yes/No
Do you keep a fire extinguisher nearby for minor emergencies, just in case?	Yes/No
Do you keep children and pets at least 3-feet from flame and heat	Yes/No
sources? When cooking, do you keep pot handles turned inward to prevent burning?	Yes/No
Do you ensure combustibles are not stored near the stove, heater or fireplace?	Yes/No
Do you have the fireplace chimney cleaned and checked annually?	Yes/No
If you have a fireplace, is a screen always placed in front of it?	Yes/No
Electrical Hazardous	
Are appliances checked periodically for good operating conditions?	Yes/No
Are you careful not to run extension cords under rugs or over hooks and nails?	Yes/No

Do you ensure electrical outlets are not overloaded?

Yes/No

Amity Township Fire Marshal's Office 2004 Weavertown Road Douglassville, PA 19518-8971



Phone: 610-689-6000 FAX: 610-689-9870

Smoking Hazardous

Are all matches and lighters kept out of children's reach?	Yes/No
Is NO SMOKING IN BED a rule of the house?	Yes/No
Is your family aware that ashtrays should NEVER be emptied into the wastebaskets?	Yes/No
Are there plenty of large, safe ashtrays throughout the house?	Yes/No
Do you make it a rule to never throw cigarette butts on the ground or out of car windows?	Yes/No
Housekeeping:	
Do you keep attics, garages and yards clear of rubbish?	Yes/No
Are paints and oily rags kept in tightly sealed metal containers?	Yes/No
Are flammable liquids, like gasoline, stored safely and kept away from heat and children?	Yes/No
Do you ensure to NEVER use flammable liquids for cleaning clothes or starting fires?	Yes/No
Do you ensure you don't run your washing machine or dryer when you are not home?	Yes/No
Is your clothes dryer vent clean and properly installed?	Yes/No
Outside the Home:	
Have you removed all dried grass cuttings, tree trimmings and weeds from your property?	Yes/No
Can you see your house number clearly from the street?	Yes/No

Thank you for taking the time to complete this Home Fire Safety Checklist! Provided to you as a public service by The Amity Township Fire Marshal's Office