AMITY TOWNSHIP 2025 Paving Project 25-06203-01

Sealed proposals will be received by the Board of Supervisors of Amity Township at the Township building located at 2004 Weavertown Road, Douglassville, PA 19518 until 10:00AM, prevailing time, on May 9, 2025.

Furnishing and placement of a total of 62,107 SY of Ultra-Thin Friction Course (Type B) as per SSP Average Daily Traffic <5000 for the following areas:

Glenwood Drive from Russell Avenue to Applewood Drive
Applewood Drive from Morlatton Road to Fair Meadow Drive
Fair Meadow Drive from Glenwood Drive to the cul-de-sac and cul-de-sac
Bramblewood Drive from Morlatton Road to cul-de-sac and cul-de-sac
Bramblewood Lane from Bramblewood Drive to cul-de-sac and cul-de-sac
Maplewood Drive from Morlatton Road to Bramblewood Drive
Maple Lane from Maplewood Drive to cul-de-sac and cul-de-sac
Meadowcrest lane from Aviemore Lane to cul-de-sac and cul-de-sac
Aviemore Lane from Old Swede Road to Pine Forge Road
Verdure Lane from Meadowcrest Lane to Meadowcrest Lane
Meadow Lane from Meadowcrest Lane to dead end
Wyndmead Lane from Meadowcrest Lane to Meadowcrest Lane
Rosewyn Lane from Verdure Lane to Wyndmead Lane
Felwick Lane from Pine Forge Road to Meadowcrest Lane

All bidders are required to review the proposed project with Public Works Foreman by calling 484-256-9107 who will sign off on the Special Provisions page. All bidders, contractors, and subcontractors must be PennDOT pre-qualified in the work described. Proof of prequalification required with bid submittal. Liquidated damages will apply at the rate of \$850.00 per calendar day, after 10/15/2025.

Each bid must be accompanied by bid security in the form of certified check, bank cashier's check, or bid bond, in required form, amounting to (10%) ten percent of the total base bid, payable to Amity Township.

Performance and Payment Bonds in the amount of 100% of the Contract award and Certificate of Insurance naming Amity Township as additionally insured on a primary and non-contributory basis shall be furnished by the successful bidder within 10 (ten) days after the contract is awarded.

Prevailing wages do not apply to this contract.

Consideration for award will take place at the regular meeting of the Amity Township Board of Supervisors to be held on Wednesday, May 21, 2025 at 7:00PM at the Township Building. Amity Township reserves the right to reject any and all bidders, to waive any defects or irregularities and to make such award as it appears most advantageous to the Township.



PROPOSAL AND CONTRACT (WHEN EXECUTED)

INSTRUCTIONS ON PAGE 4

THIS PROPOSAL INCLUDES INSTRUCTIONS TO BIDDERS

. DEPOS	IT OF PROPOSALS.	
	velopes containing Bid proposals shall early marked "Bid Proposal for letting of	Amity Township MUNICIPALITY (NAME & TYPE)
	May 9, 2025 ." DATE	Pam Kisch
53.1	52	SECRETARY
	ed Proposals will be received on or	
before <u>10</u> TIME	:00AM on the above Letting Date.	2004 Weavertown Rd
IIIVIE		Douglassville, PA 19518 ADDRESS
10:00AM	will be opened and read at approximately, on the above Letting Date.	
TIME		DELIVERED TO THE ABOVE ADDRESS.
1	CERTIFICATE OF COMPLIANCE) and to more specifically set forth in the Schedule	iver all materials (including Form CS-4171, do and perform all work on the following project as of Prices (Attachment), in accordance with drawings
	and special requirements contained herein Specifications (Publication 408), except (a)	mity Township as well as the supplements and/ or attached hereto and current PennDOT bidders need not be prequalified by PennDOT stuminous paving materials is not required (Sec. 401).
2	If designated as the successful bidder, the notice to proceed, or as otherwise provided complete all work within see attachments.	
3	Accompanying this proposal is a certified commade payable to the municipality as a proposal forfeited in case the contractor fails to command the contractor fails the cont	posal guarantee which, it is understood, will be
PROPOS	AL OF:	
	NAME / ADDRES	SS OF CONTRACTOR
	CONTRACTORS	CERTIFICATION
	ereby certified as follows:	
1	The only person interested in the proposal	as principal (s) is (are):
2	None of the above persons are employees	of the municipality.
3	This proposal is made without collusion wit	h any other person, firm or corporation.
4	·	ve and the site of the work have been examined by the t the quantities indicated herein are approximate and

price listed on the Schedule of Prices. (Attachment 1).

are subject to change as may be required; and that all work is payable on the basis of the unit

- The contractor will comply with all requirements of the laws and implementing regulations of the Commonwealth of Pennsylvania and the United States relating to human relations, equal opportunity and non-discrimination in employment, and will pay to workmen employed in the performance of the contract the wages to which they may be entitled.
- The contractor will provide the municipality with a performance bond, conditioned upon the faithful performance of the contract in accordance with the plans, specifications and conditions thereof, and a payment bond, conditioned on the prompt payment of all material furnished and labor supplied or performed in the prosecution of the work, in accordance with the Public Works Contractors' Bond Law of 1967; and an affidavit accepting the provisions of the Workmen's Compensation Act of 1915, as amended.

	CONTRA	CTOR		
WITNESSED OR ATTESTED BY:	TITLE:		(SEAL)	
SEAL	TITLE:		(SEAL)	
TO BE EXECUTED ON	LY IN THE EVEN	T THE ABOVE PROPOS	AL IS ACC	CEPTED
ACCEPTED ON :	DATE			
		Amity Township MUNICIPALITY		
ATTESTED BY:	TITLE:			
SEAL	TITLE:			
	TITLE:			



TO MS - 944 (PROPOSAL AND CONTRACT MS - 944)

County:	Berks County	Municipality:	Amity Township	
		Project Number:	25-06203-01	

LOCATION OF WORK:

- 1. Glenwood Dr. from Russell Ave. to Applewood Dr. 1285' x 33' (4712SY)
- 2. Applewood Dr. from Morlatton Rd. to Fair Meadow Dr. 980 'x 33' (3593SY)
- 3. Fair Meadow Dr. from Glenwood Dr. to Cul-De-Sac1460' x 33' and 100'x100' (6464SY)

DESCRIPTION OF WORK:

Locations 1-3 Place Ultra-Thin Friction Course Type "B" srl "G" as per PUB 408 Section 489 Current edition. Joints required to be sealed as per PUB 408 prior to placement of Ultra Thin material. Aproved QC plan and approved mix design required to be submitted to Municipality for review three weeks prior to start of work.

ESCALATOR CLAUSE: (if adopted by Municipality.)

Contract contains an Escalator Clause for quantities of bituminous material of less than 100 tons of asphalt cement including asphalt cement residue PennDOT Pub. 408, Section 110.04 will apply to quantities of bituminous materials greater than 100 tons of asphalt cement including asphalt cement residue. Bid Index 4/25

	SCHEDULE OF PRICES								
1	Item No.	Approximate 2 Quantities	Unit 3	*Description 4	Unit 5 Price	Total 6			
1		4,712	SY	Ultra Thin Friction Course as per PUB 408					
				Section 489					
110000000000000000000000000000000000000									
-ACARCDA-C									
2		3,593	SY	Ultra Thin Friction Course as per PUB 408					
				Section 489					
3		6,464	SY	Ultra Thin Friction Course as per PUB 408					
				Section 489					
	+	-	-						
- AMURA									
	SCRIPTION:				SUBTOTAL				
		T on wearing surf		SUBTOTAL FROM OTHER ATT	ACHMENTS				
USE	OF COTRAC	CK ASPHALT IS P	KOHIBITE	TOTAL AMOUN	COE BID				

BETWEEN MAY 1st AND OCTOBER 31st, EXCEPT AS NOTED IN BULLETIN NO. 25.



TO MS - 944 (PROPOSAL AND CONTRACT MS - 944)

County:	Berks County	Municipality:	Amity Township	
		Project Number:	25-06203-01	

LOCATION OF WORK:

- 4. Bramblewood Dr. from Morlatton Rd. to Cul-De-Sac 620' x 33' and 100' x 100' (3384SY)
- 5. Bramblewood Ln. from Bramblewood Dr. to Cul-De-Sac 290' x 33' and 100' x 100' (2174SY) 6. Maplewood Dr. from Morlatton Rd.to Bramblewood Dr. 1580'x33' (5794SY)

DESCRIPTION OF WORK:

Locations 4-6 Place Ultra-Thin Friction Course Type "B" srl "G" as per PUB 408 Section 489 Current edition. Joints required to be sealed as per PUB 408 prior to placement of Ultra Thin material. Aproved QC plan and approved mix design required to be submitted to Municipality for review three weeks prior to start of work.

ESCALATOR CLAUSE: (if adopted by Municipality.)

Contract contains an Escalator Clause for quantities of bituminous material of less than 100 tons of asphalt cement including asphalt cement residue PennDOT Pub. 408, Section 110.04 will apply to quantities of bituminous materials greater than 100 tons of asphalt cement including asphalt cement residue. Bid Index 4/25

	SCHEDULE OF PRICES							
	Item	Approximate	Unit		*Description		Unit	Total
1	No.	2 Quantities	3	4			5 Price	6
4		3,384	SY	Ultra Thin F	riction Course as per l	PUB 408		
				Section 489				
	NAMES OF THE PARTY						******	
5	The second secon	2,174	SY	Ultra Thin F	riction Course as per l	PUB 408		
				Section 489				
6		5,794	SY	Ultra Thin F	riction Course as per l	PUB 408		
				Section 489				
* DES	SCRIPTION:						SUBTOTAL	
		on wearing surf		_	SUBTOTAL FROM C	Manage of the state of the stat		

EPT

USE OF CUTBACK ASPHALT IS PROHIBITED
BETWEEN MAY 1st AND OCTOBER 31st, EXCEPT
AS NOTED IN BULLETIN NO. 25.

TOTAL AMOUNT OF BID



TO MS - 944 (PROPOSAL AND CONTRACT MS - 944)

County:	Berks County	Municipality:	Amity Township	
		Project Number:	25-06203-01	

LOCATION OF WORK:

- 7. Maple Ln. from Maplewood Dr. to Cul-De-Sac 235' x 33' and 100' x 100' (1973SY)
- 8. Meadowcrest Ln. from Aviemore Ln. to Cul-De-Sac 3780' x 33' and 100' x 100' (14971SY) 9. Aviemore Ln. from Old Swede Rd. to Pine Forge Rd. 1525' x 33' (5592SY)

DESCRIPTION OF WORK:

Locations 7-9 Place Ultra-Thin Friction Course Type "B" srl "G" as per PUB 408 Section 489 Current edition. Joints required to be sealed as per PUB 408 prior to placement of Ultra Thin material. Aproved QC plan and approved mix design required to be submitted to Municipality for review three weeks prior to start of work.

ESCALATOR CLAUSE: (if adopted by Municipality.)

Contract contains an Escalator Clause for quantities of bituminous material of less than 100 tons of asphalt cement including asphalt cement residue PennDOT Pub. 408, Section 110.04 will apply to quantities of bituminous materials greater than 100 tons of asphalt cement including asphalt cement residue. Bid Index 4/25

	SCHEDULE OF PRICES							
1	Item No.	Approximate 2 Quantities	Unit 3	4	*Descripti	on	Unit 5 Price	Total 6
7		1,973	SY	NAME OF TAXABLE PARTY OF TAXABLE PARTY.	riction Cour	se as per PUB 408		
				Section 489)			
	MAIN CONTROL OS CONTROL OS CONTROL O							
8		14,971	SY	Ultra Thin F	riction Cour	se as per PUB 408		
				Section 489)			
9		5,592	SY	Ultra Thin F	riction Cour	se as per PUB 408		
			-	Section 489				
		-						
/								
	SCRIPTION:						SUBTOTAL	
		on wearing surf			SUBTOTA	L FROM OTHER AT	TACHMENTS	
USE	OF COTRACT	K ASPHALT IS PI	KOHIRILE	υ .		ALIOMA LATOT	IT OF BID	

Must include ADT on wearing surfaces
USE OF CUTBACK ASPHALT IS PROHIBITED
BETWEEN MAY 1st AND OCTOBER 31st, EXCEPT
AS NOTED IN BULLETIN NO. 25.



TO MS - 944 (PROPOSAL AND CONTRACT MS - 944)

County:	Berks County	Municipality:	Amity Township	
		Project Number:	25-06203-01	

LOCATION OF WORK:

- 10. Vendure Ln. from Meadowcrest Ln. to Meadowcrest Ln. 1660' x 33' (7198SY)
- 11. Meadow Ln. from Meadowcrest Ln. to dead end 135' x 33' (495SY)
- 12. Wyndmead Ln. from Meadowcrest Ln. to Meadowcrest Ln. 920' x 33' (3374SY)

DESCRIPTION OF WORK:

Locations 10-12 Place Ultra-Thin Friction Course Type "B" srl "G" as per PUB 408 Section 489 Current edition. Joints required to be sealed as per PUB 408 prior to placement of Ultra Thin material. Aproved QC plan and approved mix design required to be submitted to Municipality for review three weeks prior to start of work.

ESCALATOR CLAUSE: (if adopted by Municipality.)

Contract contains an Escalator Clause for quantities of bituminous material of less than 100 tons of asphalt cement including asphalt cement residue PennDOT Pub. 408, Section 110.04 will apply to quantities of bituminous materials greater than 100 tons of asphalt cement including asphalt cement residue. Bid Index 4/25

				SCHEDU	LE OF PR	ICES		
	Item	Approximate	Unit		*Descripti	on	Unit	Total
1	No.	2 Quantities	3	4			5 Price	6
10		7,198	SY		THE RESIDENCE OF THE PERSON NAMED IN	rse as per PUB 408		
				Section 489				
11		495	SY	Ultra Thin F	riction Cour	se as per PUB 408	 	
		100	01	Section 489		00 d0 pcr 1 0B 400		
12		3,374	SY	Ultra Thin F	riction Cour	se as per PUB 408		
12		0,074	01	Section 489		3C 43 PCI 1 OB 400		
				Occion 400				
	SCRIPTION:						SUBTOTAL	
		on wearing surf		_ [SUBTOTA	L FROM OTHER ATT	ACHMENTS	
USE	OF CUTBAC	K ASPHALT IS P	ROHIBITE	D •		TOTAL AMOUNT	OF BID	

BETWEEN MAY 1st AND OCTOBER 31st, EXCEPT AS NOTED IN BULLETIN NO. 25.



TO MS - 944 (PROPOSAL AND CONTRACT MS - 944)

County:	Berks County	Municipality:	Amity Township
		Project Number:	25-06203-01

LOCATION OF WORK:

13. Rosewyn Ln. from Verdue Ln. to Wyndmead Ln. 450' x 33' (1650SY) 14. Felwick Ln. from Pine Forge Rd. to Meadowcrest Ln. 200' x 33' (733SY)

DESCRIPTION OF WORK:

Locations 13-14 Place Ultra-Thin Friction Course Type "B" srl "G" as per PUB 408 Section 489 Current edition. Joints required to be sealed as per PUB 408 prior to placement of Ultra Thin material. Aproved QC plan and approved mix design required to be submitted to Municipality for review three weeks prior to start of work.

ESCALATOR CLAUSE: (if adopted by Municipality.)

Contract contains an Escalator Clause for quantities of bituminous material of less than 100 tons of asphalt cement including asphalt cement residue PennDOT Pub. 408, Section 110.04 will apply to quantities of bituminous materials greater than 100 tons of asphalt cement including asphalt cement residue. Bid Index 4/25

				SCHEDU	LE OF PR	ICES		Constitution and the second	
1	Item No.	Approximate 2 Quantities	Unit 3	4	*Descripti	on		Unit 5 Price	Total 6
13		1,650	SY	CONTRACTOR OF THE PARTY OF THE	DESCRIPTION OF THE PARTY OF THE	se as per PUE	408		
				Section 489		CONTRACTOR STATE AND PROPERTY OF THE			
14		733	SY	The second secon	NAME OF TAXABLE PARTY.	se as per PUE	408		
	MONANT CAPACITATION OF THE STREET			Section 489					
	SCRIPTION:			_				SUBTOTAL	
		T on wearing surf		_ [SUBTOTA	L FROM OTH	ER ATTA	CHMENTS	
JSE	OF COTRAC	K ASPHALT IS P	KOHIBITE	ט -		ΤΟΤΔΙ Δ	MOUNT	OF BID	

BETWEEN MAY 1st AND OCTOBER 31st, EXCEPT AS NOTED IN BULLETIN NO. 25.

SPECIAL PROVISIONS TO CONTRACT MS-944 (Attachment 1-A) CONTAINS IMPORTANT INFORMATION FOR THE CONTRACTOR

The Prime Contractor and subcontractors must comply with all of the following provisions that are marked with an "X".

X Traffic Control and Safety Devices to be provided by the Contractor. (PA. DEPART. Of TRANS. Publication 203, WORK ZONE TRAFFIC CONTROL, CURRENT EDITION.) X Delivery tickets for all materials. X CS-4171 Certificate of Compliance required for all materials. X Notify the Municipality Five working days prior to start of project. X Work to be completed on or before 10/15/2025. After 10/15/2025. Liquidated damages apply at the rate of \$ 850.00 per calendar day. X Roadway to be power broomed by (contractor X municipality prior to start of project. X Excess material to be removed by (contractor X municipality) prior to start of project. X Mend Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Tack Coart required per Section 480, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 460 or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch'Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Indidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. Contractor responsible for defects		that are marked with an "X".		
(PA. DEPART, Of TRANS. Publication 203, WORK ZONE TRAFFIC CONTROL, CURRENT EDITION.) Delivery tickets for all materials. X OS4171 Certificate of Compliance required for all materials. X Notify the Municipality Five working days prior to start of project. X Work to be completed on or before 10/15/2025, After 10/15/2025 Liquidated damages apply at the rate of \$ 850.00 per calendar day. X Roadway to be power broomed by (contractor X municipality) prior to start of project. Excess material to be removed by (contractor X municipality). X Municipality to inspect project. X Need Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Track Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 461 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) Y Trovide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor required to review proposed project with Municipality's Repre				
X Delivery tickets for all materials. X CS-4171 Certificate of Compliance required for all materials. X Notify the Municipality Five working days prior to start of project. X Work to be completed on or before 10/15/2025. After 10/15/2025 Liquidated damages apply at the rate of \$ 850.00 per calendar day. X Roadway to be power broomed by (contractor X municipality)prior to start of project. X Excess material to be removed by (contractor X municipality)prior to start of project. X Roadway to be power broomed by (contractor X municipality). Municipality to inspect project. X Need Bill of Lading for each shipment of biluminous material per Section 702.1(c) of Specifications 408. Tack Ceat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 461 of Specifications 408. Biluminous Seal on all abutting pavement and curbs required. Saw out or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X fluid width pavement with one pass required. X fluid middle pavement with one pass required. X municipality reserves the right to limit work completed. X fluid middle pavement with one pass required. X municipality reserves the right to prior and the size of the appreciation of the service of the second of the service of the second of the second of the service of the second of the second of the service of the second of t	Χ			
X OS-4171 Certificate of Compliance required for all materials. X Notify the Municipality Five working days prior to start of project. X Work to be completed on or before 10/15/2025, After 10/15/2025 Liquidated damages apply at the rate of \$ 850.00 per calendar day. X Roadway to be power broomed by (contractor X municipality) prior to start of project. X Excess material to be removed by (contractor X municipality) prior to start of project. X Excess material to be removed by (contractor X municipality). X Municipality to inspect project. X Need Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Tack Coat required per Section 480, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 481 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A M. & P.M. and witnessed by municipality an	V			
X Notify the Municipality Five working days prior to start of project. X Work to be completed on or before 10/15/2025. After 10/15/2025. Liquidated damages apply at the rate of \$ 850.00 per calendar day. X Roadway to be power broomed by (contractor X municipality) prior to start of project. X Excess material to be removed by (contractor X municipality).) Municipality to inspect project. X Need Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Tack Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 461 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw out or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor on project site witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) X the term term and the provide project with Municipality's Representative p				
X Work to be completed on or before 10/15/2025. After 10/15/2025 Liquidated damages apply at the rate of \$ 850.00 per calendar day. X Roadway to be power broomed by (contractor X municipality)prior to start of project. X Excess material to be removed by (contractor X municipality)prior to start of project. X Excess material to be removed by (contractor X municipality) X Municipality to inspect project. X Meed Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Tack Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 461 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor on project site witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least t				
the rate of \$ 850.00 per calendar day. Roadway to be power broomed by (contractor X municipality) prior to start of project. X excess material to be removed by (contractor X municipality) Municipality to inspect project. X Med Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Tack Coat required per Section 480, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 481 of Specifications 408. Bituminous Seal on all abuting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X full width pavement with one pass required. X full width pavement with one pass required. X full high pavement with one pass required. X full high pavement with one pass required. X full preparation and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X full width pavement with one pass required. X full width pavement with one pass required. X full width pavement with one pass required. X funcipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X contractor responsible for defects that occur within one year of applications. X contractor responsible for defects that occur within one year of applications. X contractor required to review proposed project with Municipality's Representative prior to start of work. X				
X Roadway to be power broomed by (contractor X municipality) prior to start of project. X Excess material to be removed by (contractor X municipality). X Municipality to inspect project. X Need Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Tack Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 461 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. ScratchY Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality of	^			
 X Excess material to be removed by (contractor X municipality .) X Municipality to inspect project. X Meel Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Tack Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 461 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality se Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil samp	X			
 Municipality to inspect project. Need Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Tack Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 461 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). Full width pavement with one pass required. Municipality reserves the right to limit work completed. Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. Completion of NON-COLLUSION AFFIDAVIT required. Incidental Preparation and clean up required. (Project Construction Materials) The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. Contractor responsible for defects that occur within one year of applications. Contractor responsible for defects that occur within one year of applications. Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.)				
X Need Bill of Lading for each shipment of bituminous material per Section 702.1(c) of Specifications 408. Tack Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 461 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Future award of Contract will be based on quality of work as determined by the municipality. X Cont				
Tack Coat required per Section 460, or 409 for superpave, of Specifications 408 and is incidental to paving item unless noted otherwise. Prime Coat required per Section 481 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart : A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work				
paving item unless noted otherwise. Prime Coat required per Section 461 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contracto	, ,			
Prime Coat required per Section 461 of Specifications 408. Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. Contractor, notify all residents of pending work				
Bituminous Seal on all abutting pavement and curbs required. Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise. Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. Municipality reserves the right to limit work completed. Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding, Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. Contractor, notify all residents of pending work to be performed. X Township reserves the right to				
Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s). X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All				
 X Full width pavement with one pass required. X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous P		Saw cut or Milled Paving Notch required and incidental to paving item unless noted otherwise.		
X Municipality reserves the right to limit work completed. X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formul		Scratch/ Leveling Courses to be placed at the discretion of appointed inspector(s).		
X Taper pavement the last 3 feet to curb. For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work.	X	Full width pavement with one pass required.		
For FOB Source bids, hauling distance will determine selection of bid award. X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work.				
 X Municipality reserves the right to procure material which best suits their requirements after all bids and items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X All work to follow as per PUB 408 Currrent Edition. X All work to follow as per PUB 408 Currrent Edition. X All work to follow as per PUB 408 Currrent Edition.	Χ			
items are reviewed. X Completion of NON-COLLUSION AFFIDAVIT required. Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work.				
 X Completion of NON-COLLUSION AFFIDAVIT required. X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Foundation Certificate & Notice of Completion required. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. 	Х			
X Incidental Preparation and clean up required. (Project Construction Materials) X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work.	\ <u>/</u>			
 X The municipality reserves the right to make an award on the basis of the aggregate total for all like items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. 				
items on which quotations are received. X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work.				
 X Provide design, which meets Specifications Form 408 to the municipality 5 days prior to start of work. X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. 	^			
 X Contractor responsible for defects that occur within one year of applications. X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. 	X			
 X Contractor required to review proposed project with Municipality's Representative prior to bidding. Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. 				
Oil Samples required from each distributor truck by contractor (1) one quart: A.M. & P.M. and witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work.				
witnessed by municipality and retained by municipality. (Oil samples must be placed in an approved type container that is compatible with oil sample.) At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this				
At least three random stone samples to be taken by contractor on project site witnessed by municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this				
 municipality and retained by municipality. X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this 		approved type container that is compatible with oil sample.)		
 X Complete all testing in accordance with Specification Form 408 Section 401 except Marshall Testing or for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this				
for superpave Section 409 except for superpave volumetric testing. X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this				
 X Notice to Proceed will be issued upon receipt of all required documents. X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this	X			
 X Final Completion Certificate & Notice of Completion required. X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this 				
X Future award of Contract will be based on quality of work as determined by the municipality. X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this		· · · · · · · · · · · · · · · · · · ·		
 X Contractor, notify all residents of pending work to be performed. X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this 				
 X Township reserves the right to limit work/remove locations of work based upon budget constraints. X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this 				
 X A Bituminous Price Adjustment Applies to this contract. Bid Index 4/25 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this 				
 X All work to follow as per PUB 408 Currrent Edition. X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this 		· · · · · · · · · · · · · · · · · · ·		
 X All Locations Average Daily Traffic (ADT) is <5000. X Quality Control plan and Job Mix Formula approval required prior to start of work. My signature signifies that I have read and understand the above special provisions to this 				
My signature signifies that I have read and understand the above special provisions to this	X	All Locations Average Daily Traffic (ADT) is <5000.		
		My cignoture cignifica that I have read and understand the characteristic and the		
contract, and by being authorized by this company to get as their sutherized representative, and				
on their behalf hereby agree to adhere to any and all of the provisions pertaining to this contract.		contract, and by being authorized by this company to act as their authorized representative, and		

Contractor's Representative Date Municipality's Representative Date
Amity Township
Company Municipality

PROPOSAL AND CONTRACT INSTRUCTIONS- FORM 944

- 1 The proposal must be typewritten or printed.
- If more than one proposal on any project is submitted by an individual, firm or partnership, corporation or association under the same or different names, only one lowest proposal will be considered.
- 3 Description of Work- -
 - A. If additional space is needed, insert appropriately numbered attachment and note "Continued on attached work sheets.
- Part A of Page 1 to be completed by municipality. Part B of Page 1 to be completed by contractor. Schedule of Prices Column #1 (Item), #2 (Approximate quantities), #3 (Unit, i.e., ton, square yard, linear feet, etc.) And #4 (Description, i.e., bituminous materials ID2, FJ1, FB1, BCBC, etc.) Must be filled in by the municipality to insure equitable bidding. Columns #5 (Unit Price), #6 (Total) and total amount of bid, must be filled in by the contractor. If more space is needed, add note at the bottom of the page; "Continued on Attachment No. 1-A," and add additional sheet designated as Attachment No. 1-A, 1-B, etc.. Repeat for each additional sheet required.
- If liquidated damages are to be assessed, add the following sentence to Part A #2. If all work is not completed on time, liquidated damages will be assessed at the rate of \$200.00 per additional working day.

 (OR "... as set forth in the attached schedule.")
- Payment and Performance bonds are provided only by the successful bidder. Contracts under \$5,000 bonds must be in 50 % of the contract amount. Contracts in excess of \$5,000 bonds must be in 100 % of the amount of contract. Bond Forms MS-944 Attachments 2 and 3 and Workmen's Compensation Affidavit Attachment 4 must be submitted by the successful bidder within 20 days of the contract award. Failure to submit the bonds shall constitute grounds to cancel the contract.
- *Construction projects, where the estimated cost of the total project exceeds \$25,000, are subject to the provisions of the Pennsylvania Prevailing Wage Act 442. It is the responsibility of the municipality to obtain the Prevailing Wage Scale for the area and include it in the proposal. If the Prevailing Wage Act applies, this fact shall be noted in the advertisement.
 - On projects utilizing Federal Revenue Sharing Funds, if the project cost exceeds \$2,000 and is financed with 25% or more Federal Revenue Sharing Funds, the Davis Bacon Act applies. Again it is the responsibility of the municipality to obtain the Davis Bacon Wage Rates, include them in the proposal and note the fact in the advertisement. If both acts are applicable, The Davis Bacon Act has preference over the Pennsylvania Prevailing Wage Act.
- 8 An ESCALATOR CLAUSE is optional; if used, it must be included in the proposal prepared by the municipality. An escalator clause may not be inserted by the contractor.

*(1961, Aug. 15, P.L. 987; 43 P.S. 165)

MS-944-S (3-01) (REPRODUCE LOCALLY) Attachment 2

TITLE:



PERFORMANCE BOND (With Corporate Surety)

KNOW ALL MEN BY THESE PRESENTS, That we, (NAME AND ADDRESS OF CONTRACTOR) as Principal and (SURETY COMPANY) a corporation incorporated under the laws of the State of as Surety (NAME OF STATE) are held and firmly bound unto in the full and just sum of (NAME OF MUNICIPALITY) (\$) dollars lawful money to the United States of America, to be paid to the above Municipality or its assigns, to which payment well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents. WHEREAS, the above bounden Principal has entered into a contract with the above Municipality, bearing even date herewith, for the undertaking of certain obligations as therein set forth. NOW, THEREFORE, the condition of this obligation is such that if the above bounden Principal, as Contractor, shall in all respects comply with and faithfully perform the terms and conditions of said Contract, including the Specifications and conditions referred to and made a part thereof, and such alterations as may be made in said Specifications as therein provided, and shall well and truly, and in a manner satisfactory to the municipality fulfill all obligations as therein set forth, then this Obligation shall be void, but otherwise the same shall be and remain in full force, virtue and effect. It is further provided that any alteration which may be made in the terms of the contractor or its specifications with the express approval of the Municipality or the Principal to the other, shall not in any way release the Principal and the Surety or either or any of them, their heirs, executors, administrators, successors or assigns from their liability hereunder, notice to the surety of any such alteration or forebearance being hereby waived. IN WITNESS WHEREOF, the said Principal and Surety have duly executed this Bond under Seal, pursuant to due and legal action authorizing the same to be done on (DATE OF BOND) PLACE Attest / Witness: SEAL CONTRACTOR **HERE** BY TITLE: TITLE: Attest / Witness: **PLACE** SURETY COMPANY SEAL **HERE** TITLE:

TITLE:



PE	NNDOT			
KNOW ALL	MEN BY THESE PRESENT	「S, that w	е	
as PRINCIPAL and				
a corporation incorp held and firmly bond	orated under the laws of the d unto the(\$	State of _ 	as SURE in the full and jus)dollars, lawful money of the	st sum of
payment well and tru	erica, to be paid to the said	selves, our	or its ass r heirs, executors, administrator	signs, to which
municipality hereina		even date	ered into a contract with the about herewith, for the improvement onsisting of:	
for approximately th	e sum of:		(\$) dollars
PRINCIPAL shall andue by contract or o material furnished o said for material or I equipment used and such work, then this The PRINCII that any individual firm the paid in full there and may prosecute thave execution there any costs of expensions RECOVERY be subject to the property as fully and on the giving by the Obforebearance on the release the PRINCIF forebearance being IN WITNESS	Individual, for labor supplied or performe abor entered into and becard services rendered by public obligation to be void, otherword and SURETY, hereby, Imp., partnership, association in the prosecution of the work refor, may sue in assumpsit the same to final for such sue on. Provided, however, that es of such suit. To by any individual, firm, partnership, association of the "Public Works of such suit. To by any individual, firm, partnership, as though its provided that any alterations are or materials to be furnish ligue of any extension of time apart of either the Obligue of PAL and the SURETY or SU hereby waived. SWHEREOF, the said PRIN	e to be paid irm, partnered in the property of	on is such that if the above bourd in full all sums of money which is reship, association or corporation osecution of the work, whether nent parts of the work and for render in a connection with the prospect of the severally, agree with the Obligation, which has performed laboration, which has performed laboration and may be justly due him, the gree shall not be liable for the part of the contract or a sipal to the other, shall not in an fany such alteration, extension discontinuation of the contract of a contract of the	h may be on, for all or not the ental of the secution of ee herein or or has not own name or or it, and ayment of ea part cited. ontract or any other y way of
PLACE SEAL HERE	WITNESS:		CONTRACTOR	
TITLE:		. ВҮ: <u>т</u>	ITLE:	
PLACE SEAL HERE	WITNESS:		URETY COMPANY	

TITLE:

PENNDOT

AFFIDAVIT RE

ACCEPTING PROVISIONS OF THE WORKMEN'S COMPENSATION ACT

State of))) ss:		
County of)		he has
	being duly	sworn according to law deposes and s	says that they have it has
accepted the provisions of the Workmen's Compens	ation Act of	1915 of the Commonwealth of Pennsy	vlvania, with
has ts supplements and amendments, and have insured	his their liability its	thereunder in accordance with the te	rms of said
Act with	TY COMPA		
(SUNE	TT COMPA	V1)	
		(TYPE OR PRINT)	CONTRACTOR
	ВУ		
		SIGNATURE	
Sworn to and subscribed before me this	day o	fA.D. 20	
		SIGNATURE	

D-7126 (3-01)

ANTI-COLLUSION AFFIDAVIT

111		County	Berks County
PENNDOT		Municipality	Amity Township
B-6000-60000 And Gillia Annual Clinical Alberta		Project Number	25-06203-01
State of		Fed. Project No.	If Applicable)
County of		·	If Applicable)
	The undersigned de	onent deposes and says that he is the	
of the		Company; that he is	authorized to make this
affidavit on be	half of said company	compliance with section 102.06 (e) of I	Department Specifications,
Publication 40	08, as amended and t	at the said company has not, either direc	ctly or indirectly, entered
into any agree	ement, participated in	ny collusion, or otherwise taken any acti	on in restraint of free
competitive bidding in connection with such contract.			
		(Contracto	r)
ВҮ			
Sworn to and subscribed before me the undersigned notary public this			
, day of,			
		Notary Public	
		ly Commission expires	Inches II and the Control of the Con



	-		
/ miti	OMO	h	n
MIIIIV	Towns	ш	N

mity Township MUNICIPALITY

NOTICE OF COMPLETION

IN REFERENCE TO PROJECT # 25-06203-01

Name of Contractor			
Performance of work as specified on the above numbered contract is completed and final pavement inspection has been made by the contractor and municipality in accordance with the terms of the contract awarded.			
DATE OF AWARD			
	Signature of Municipality		
	Signature of Contractor		
Both copies of this form to be fille pavement restoration.	ed by the Contractor-Municipality on completion of final		
THIS PO	RTION TO BE COMPLETED BY MUNICIPALITY		
FI	INAL COMPLETION CERTIFICATE		
inspectio accordan	fixing of my signature I hereby certify that final n has been made and all work has been performed in ce with the above contract # and is hereby accepted unicipality as completed.		
*DATE	Authorized Agent for the Municipality		
	e for maintenance of permanent pavement repairs for a stee.		

Amity Township Office: 2004 Weavertown Rd. Douglassville, Pa. 19518



Phone: 610-689-6000 Fax: 610-689-9870

2025 Road Project

ADDENDUM #1 – Issued 04/14/2025 Date Changes

- 1. Bids will be accepted until 10:00am on May 9, 2025.
- 2. Consideration for award will be at the regular meeting of the Board of Supervisors on May 21, 2025 at 7:00pm.

Updated pages of the bid packet can be printed.